

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

Page 1 of 1

**LISTING No.** 8160-2246:0500

**CATEGORY:** 8160 -- UNDER EAVE FOR WILDLAND URBAN INTERFACE (W.U.I)

**LISTEE:** Paneltek Products Ltd.No. 13- 8380 No. 2 Road, Richmond, BC V7C 3M3 Canada  
Contact: Maureen Zavislak (604) 980-1941  
Email: maureen@paneltekproducts.com

**DESIGN:** Paneltek Engineered Cedar external soffit for external use in Wildland Urban Interface Areas. Fine grain cedar laminated tongue and groove soffit paneling boards. Nominal 4" and 6" wide, 19/32" thick, 4' to 7' lengths, and 8' to 16' lengths, finger jointed, edge glued cedar core. Refer to the manufacturer's installation instructions and product data sheets.

**RATING:** SFM Standard 12-7A-3

**INSTALLATION:** Install directly to rafter in accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee name, Model number, rating and SFM label.

**APPROVAL:** Listed as under eave materials for use in the Wildland Urban Interface areas in accordance with SFM Standard 12-7A-3.

07-17-2017 dcc



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2018**

Listing Expires **June 30, 2019**

Authorized By: **DAVID CASTILLO**, Program Coordinator  
Fire Engineering Division