



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

LISTING No.:	8140-2246:0501
CATEGORY:	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
LISTEE:	Paneltek Products Ltd. 2885 West 34th Avenue, Vancouver, AL, V6N 2J7 Contact: Zavislak, Maureen (604) 980-1941 Email: maureen@paneltekproducts.com
DESIGN:	Paneltek Engineered Cedar T&G external wall panel siding use in Wildland Urban Interface Areas. Fine grain cedar laminated tongue and groove wall panel siding boards installed over 1/2" exterior grade sheathing with Typar Building Wrap. Nominal 1" x 4" and 1" x 6" wide, 19/32" thick, 4' to 7' lengths, and 8' to 16' lengths laminated onto a western red finger jointed, edge glued cedar core. Refer to the manufacturer's installation instructions and product data sheets.
RATING:	SFM Standard 12-7A-1
INSTALLATION:	Install in accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.
MARKING:	Listee name, model number, rating and SFM label.
APPROVAL:	Listed as exterior wall siding materials for use in the Wildland Urban Interface areas in accordance with SFM Standard 12-7A-1.
NOTES:	

08-07-2017 dcc



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: 04/05/2024

Listing Expires: 06/30/2025

Authorized By: **David Castillo**, Program Coordinator
Fire Engineering & Investigations Division